

Advanced JAPE

Module 1

June 2018

© 2018 The University of Sheffield

This material is licenced under the Creative Commons

Attribution-NonCommercial-ShareAlike Licence

(<http://creativecommons.org/licenses/by-nc-sa/3.0/>)

Outline

- 1 Debugging JAPE Grammars
- 2 Using Java in JAPE
 - A Very Brief Introduction to the GATE API
 - How to Include Java in JAPE
 - Common idioms

Outline

- 1 Debugging JAPE Grammars
- 2 Using Java in JAPE
 - A Very Brief Introduction to the GATE API
 - How to Include Java in JAPE
 - Common idioms

Debugging JAPE Grammars

- Read the error messages, they are helpful!
 - line numbers etc. refer to the original JAPE files
 - description usually highlights the exact problem

```
file:/home/gate/plugins/ANNIE/resources/NE/name.jape:  
Encountered " <kleeneOp> "? "" at line 1580, column 10.  
Was expecting one of:  
    "\" " ...  
    <ident> ...  
    "|" ...  
    "{" ...  
    "(" ...  
    ")" "
```

Debugging JAPE Grammars

When trying to understand how annotations were created by a grammar try the new **enableDebugging** option:

- **addedByPR:** the name of the JAPE PR running the grammar that produced the annotation
- **addedByPhase:** the name of the phase (usually the filename) in which the annotation was created
- **addedByRule:** the name of the rule responsible for creating the annotation

Outline

1 Debugging JAPE Grammars

2 Using Java in JAPE

- A Very Brief Introduction to the GATE API
- How to Include Java in JAPE
- Common idioms

Beyond Simple Actions

It's often useful to do more complex operations on the RHS than simply adding annotations, e.g.

- Set a new feature on one of the matched annotations
- Delete annotations from the input
- More complex feature value mappings, e.g. concatenate several LHS features to make one RHS one.
- Collect statistics, e.g. count the number of matched annotations and store the count as a document feature.

JAPE has no special syntax for these operations, but allows blocks of arbitrary Java code on the RHS.

- Don't worry if you are not a (Java) developer
- The rest of this section will show you a number of 'recipes' which you can edit slightly for specific tasks
- These ideas can be cut-and-pasted together to perform more complex actions
- If you do want to understand these examples in more detail then the GATE API will be covered in the developer track on Friday



- The examples covered in this session cover common scenarios
 - accessing annotations and features
 - removing annotations
 - accessing document features
 - using the text under an annotation
- There are lots more examples on the GATE wiki
 - `https://gate.ac.uk/wiki/jape-repository/`

A Very Brief Introduction to the GATE API

- While you don't need to be a developer to use Java in a JAPE rule, you do need to know a bit about the GATE API so you know roughly what things do and which bits you can cut-and-paste.
- The next few slides describe the main ideas of documents, annotation sets, annotations, and features that you've already met in the GUI in terms of the API.

GATE Feature Maps

Feature Maps...

- are simply Java Maps, with added support for firing events.
- are used to provide parameter values when creating and configuring CREOLE resources.
- are used to store metadata on many GATE objects.

All GATE resources are feature bearers

(they implement `gate.util.FeatureBearer`):

```
1 public interface FeatureBearer{  
2     public FeatureMap getFeatures();  
3  
4     public void setFeatures(FeatureMap features);  
5 }
```

GATE Documents

A GATE Document comprises:

- a DocumentContent object;
- a Default annotation set (which has no name);
- zero or more named annotation sets;

A Document is also a type of Resource, so it also has:

- a name;
- features.

Main Document API Calls

```
1 // Obtain the document content
2 public DocumentContent getContent();
3 // Get the default annotation set.
4 public AnnotationSet getAnnotations();
5 // Get a named annotation set.
6 public AnnotationSet getAnnotations(String name);
7 // Get the names for the annotation sets.
8 public Set<String> getAnnotationSetNames();
9 // Get all named annotation sets.
10 public Map<String, AnnotationSet>
11     getNamedAnnotationSets();
12 // Convert to GATE stand-off XML
13 public String toXml();
14 // Convert some annotations to inline XML.
15 public String toXml(Set aSourceAnnotationSet,
16     boolean includeFeatures);
```

Annotation Sets

GATE Annotation Sets...

- maintain a set of **Node** objects (which are associated with offsets in the document content);
- and a set of annotations (which have a start and an end node).
- implement the **gate.AnnotationSet** interface;
- ... which extends **Set<Annotation>**.
- implement several **get ()** methods for obtaining the included annotations according to various constraints.
- are created, deleted, and managed by the Document they belong to.

TIP: always use a Document object to create a new annotation set! Do not use the constructor!

Main AnnotationSet API Calls

Nodes

```
1 // Get the node with the smallest offset.
2 public Node firstNode();
3 // Get the node with the largest offset.
4 public Node lastNode();
```

Creating new Annotations

```
1 // Create (and add) a new annotation
2 public Integer add(Long start, Long end,
3     String type, FeatureMap features);
4 // Create (and add) a new annotation
5 public Integer add(Node start, Node end,
6     String type, FeatureMap features)
```

AnnotationSet API (continued)

Getting Annotations by ID, or type

```
1 // Get annotation by ID
2 public Annotation get(Integer id);
3 // Get all annotations of one type
4 public AnnotationSet get(String type)
5 // Get all annotation types present
6 public Set<String> getAllTypes()
7 // Get all annotations of specified types
8 public AnnotationSet get(Set<String> types)
```


AnnotationSet API (continued)

Getting Annotations by position

```
1 // Get all annotations starting at a given
2 // location, or right after.
3 public AnnotationSet get(Long offset)
4 // Get all annotations that overlap an interval
5 public AnnotationSet get(Long startOffset,
6     Long endOffset)
7 // Get all annotations within an interval.
8 public AnnotationSet getContained(Long startOffset,
9     Long endOffset)
10 // Get all annotations covering an interval.
11 public AnnotationSet getCovering(String neededType,
12     Long startOffset, Long endOffset)
```

AnnotationSet API (continued)

Combined get methods

```
1 // Get by type and feature constraints.
2 public AnnotationSet get(String type,
3     FeatureMap constraints)
4 // Get by type, constraints and start position.
5 public AnnotationSet get(String type,
6     FeatureMap constraints, Long offset)
7 // Get by type, and interval overlap.
8 public AnnotationSet get(String type,
9     Long startOffset, Long endOffset)
10 // Get by type and feature presence
11 public AnnotationSet get(String type,
12     Set featureNames)
```

Annotations

GATE Annotations...

- are metadata associated with a document segment;
- have a type (**String**);
- have a start and an end Node (**gate.Node**);
- have features;
- are created, deleted and managed by annotation sets.

TIP: always use an annotation set to create a new annotation! Do not use the constructor.

Annotation API

Main Annotation methods:

```
1 public String getType();  
2 public Node getStartNode();  
3 public Node getEndNode();  
4 public FeatureMap getFeatures();
```

gate.Node

```
1 public Long getOffset();
```

JAPE With Java RHS Template

```
1 Imports: { import static gate.Utils.*; }
2
3 Phase: Example
4 Input: Token // and any other input annotation types
5 Options: control = appelt
6
7 Rule: Example1
8 (
9   // Normal JAPE LHS goes here
10 ):label
11 -->
12 {
13   // Java code goes in here
14 }
```

Java Block Variables

The variables available to Java RHS blocks are:

- doc** The document currently being processed.
- inputAS** The `AnnotationSet` specified by the `inputASName` runtime parameter to the JAPE transducer PR. Read or delete annotations from here.
- outputAS** The `AnnotationSet` specified by the `outputASName` runtime parameter to the JAPE transducer PR. Create new annotations in here.
- ontology** The ontology (if any) provided as a runtime parameter to the JAPE transducer PR.
- bindings** The bindings map. . .

Bindings

- `bindings` is a Map from string to `AnnotationSet`
- Keys are labels from the LHS.
- Values are the annotations matched by the label.

```
1 (
2   {Token.string == "University"}
3   {Token.string == "of"}
4   ({Lookup.minorType == city}):uniTown
5 ):orgName
```

- `bindings.get("uniTown")` contains one annotation (the `Lookup`)
- `bindings.get("orgName")` contains three annotations (two `Tokens` plus the `Lookup`)

A Simple Example

This is a simple example of a Java RHS that prints the type and features of each annotation it matches. Give it a try!

```
1 Rule: ListEntities
2 ({Person}|{Organization}|{Location}):ent
3 -->
4 {
5     // get the annotations that matched
6     AnnotationSet ents = bindings.get("ent");
7
8     for(Annotation e : ents) {
9         // display the type and features of each
10        System.out.println("Type: " + e.getType());
11        System.out.println("Features: " + e.getFeatures());
12    }
13 }
```

- Application: hands-on/jape/example1.xgapp
- JAPE file: hands-on/jape/resources/simple.jape

Named Java Blocks

```
1 -->
2 :uniTown{
3     uniTownAnnots.iterator().next().getFeatures()
4     .put("hasUniversity", Boolean.TRUE);
5 }
```

- You can label a Java block with a label from the LHS
- The block will only be called if there is at least one annotation bound to the label
- Within the Java block there is a variable `labelAnnots` referring to the `AnnotationSet` bound to the label
 - i.e. `AnnotationSet xyAnnots = bindings.get("xy")`
- you can have any number of `:bind.Type = {}` assignment expressions and blocks of Java code, separated by commas.

Common Idioms for Java RHS

Setting a new feature on one of the matched annotations

```
1 Rule: LcString
2 ({Token}):tok
3 -->
4 :tok {
5     for (Annotation a : tokAnnots) {
6         // get the FeatureMap for the annotation
7         FeatureMap fm = a.getFeatures();
8         // get the "string" feature
9         String str = (String)fm.get("string");
10        // convert it to lower case and store
11        fm.put("lcString", str.toLowerCase());
12    }
13 }
```

Exercise 2: Modifying Existing Annotations

- Load `hands-on/jape/exercise2.xgapp`
- As before, this is ANNIE plus an extra transducer, this time loading
`hands-on/jape/resources/general-pos.jape`.
- Modify the Java RHS block to add a `generalCategory` feature to the matched `Token` annotation holding the first two characters of the POS tag (the `category` feature).
 - `String.substring(startIndex, endIndex)`
- Remember to reinitialize the “Exercise 2 Transducer” after editing the JAPE file.
- Test it by running the “Exercise 2” application.

Common Idioms for Java RHS

Removing matched annotations from the input

```
1 Rule: Location
2 ({Lookup.majorType = "location"}):loc
3 -->
4 :loc.Location = { kind = :loc.Lookup.minorType,
5     rule = "Location"},
6 :loc {
7     inputAS.removeAll(locAnnots);
8 }
```

This can be useful to stop later phases matching the same annotations again.

Common Idioms for Java RHS

Accessing the string covered by a match

```
1 Rule: Location
2 ({Lookup.majorType = "location"}):loc
3 -->
4 :loc {
5     String str = stringFor(doc,locAnnots);
6 }
```

Example: Contained Annotations

To get annotations contained within the span of the match

```
1 Rule: NPtokens
2 ({NounPhrase}):np
3 -->
4 :np {
5     List<String> postTags = new ArrayList<String>();
6     for(Annotation tok :
7         getContainedAnnotations(inputAS,
8                                 npAnnots, "Token")) {
9         postTags.add(
10            (String)tok.getFeatures().get("category"));
11     }
12     FeatureMap fm =
13         npAnnots.iterator().next().getFeatures();
14     fm.put("posTags", postTags);
15     fm.put("numTokens", (long)postTags.size());
16 }
```

Exercise 3: Working with Contained Annotations

- Load `hands-on/jape/exercise3.xgapp`
- As before, this is ANNIE plus an extra transducer, this time loading `hands-on/jape/resources/exercise3-main.jape`.
- This is a multiphase grammar containing the `general-pos.jape` from exercise 2 plus `num-nouns.jape`.
- Modify the Java RHS block in `num-nouns.jape` to count the number of nouns in the matched `Sentence` and add this count as a feature on the sentence annotation.
- Remember to reinitialize the “Exercise 3 Transducer” after editing the JAPE file.
- Test it by running the “Exercise 3” application.

Passing state between rules

To pass state between rules, use document features:

```
1 Rule: Section
2 ({SectionHeading}):sect
3 -->
4 :sect {
5     doc.getFeatures().put("currentSection",
6         stringFor(doc, sectAnnots));
7 }
8
9 Rule: Entity
10 ({Entity}):ent
11 -->
12 :ent {
13     entAnnots.iterator().next().getFeatures()
14         .put("inSection",
15             doc.getFeatures().get("currentSection"));
16 }
```


Returning from RHS blocks

- You can **return** from a Java RHS block, which prevents any later blocks or assignments for that rule from running, e.g.

```
1 -->
2 :uniTown{
3   String townString = stringFor(doc, uniTownAnnots);
4   // don't add an annotation if this town has been seen before. If we
5   // return, the UniversityTown annotation will not be created.
6   if (!( (Set) doc.getFeatures().get("knownTowns") )
7         .add(townString)) return;
8 },
9 :uniTown.UniversityTown = {}
```

Annotation Sets and Ordering

- An AnnotationSet is a set, so it is not ordered

```
10 Rule: SimpleNPRule1
11 (
12   {{Token.generalCategory=="DT"}}?
13   {{Token.generalCategory=="JJ"}} [0, 4]
14   {{Token.generalCategory=="NN"}}+
15 ):nnp
16 -->
17 :nnp {
18   System.out.println("_____");
19   System.out.println(stringFor(doc, nnpAnnots));
20   System.out.println("The individual tokens:");
21
22   for(Annotation tok : nnpAnnots) {
23     System.out.println(stringFor(doc, tok));
24   }
25 }
```

- The grammar for this example is in `hands-on/jape/resources/match-nps.jape`. To run the example yourself, load `exercise2.xgapp` in GATE Developer, load an extra JAPE Transducer PR, and give it as a parameter this grammar file. Finally, add the resulting new PR at the end of the Exercise 2 application and re-run it.

Annotation Sets and Ordering (Continued)

- Here is a sample output, if you execute this rule on our test document

```
waste management businesses
Now printing the matched individual tokens:
businesses
waste
management
```

- Instead use `inDocumentOrder(AnnotationSet as)` which returns a list containing the annotations in the given annotation set, in document order

Exceptions

- Any `JapeException` or `RuntimeException` thrown by a Java RHS block will cause the JAPE Transducer PR to fail with an `ExecutionException`
- For non-fatal errors in a RHS block you can throw a `gate.jape.NonFatalJapeException`
- This will print debugging information (phase name, rule name, file and line number) but will not abort the transducer execution.
 - However it will interrupt this rule, i.e. if there is more than one block or assignment on the RHS, the ones after the **throw** will not run.