

Module 4: Teamware: A Collaborative, Web-based Annotation Environment

© The University of Sheffield, 1995-2011 This work is licenced under the Creative Commons Attribution-NonCommercial-ShareAlike Licence







- Why Teamware?
- What's Teamware?
- Teamware for annotation
- Teamware for quality assurance and curation
- Teamware for defining workflows, running automatic services, managing annotation projects
- Outlook

From Annotation Tools to Collaborative Annotation Workflows

We have lots and lots of tools and algorithms for annotation; what we need is

1.methodological instead of purely technological

- 2.multi-role instead of single role
- **3**.assistive instead of autonomous
- **4**.service-orientated, not monolithic
- **5.**usable by non-specialists

GATE Teamware

- Research users in several EU projects
- External users at IRF and Matrixware
- Interest from other commercial users as well

GATE Teamware: Annotation GATE **Workflows on the Web**

- GATE Teamware is:
- Collaborative, social, Web 2.0
- Parallel and distributed (using web services)
- Scalable (via service replication)
- Workflow based with business process integration

Teamware - Layer Cake





5

Division of Labour: A Multirole Methodology



• Annotators

- carries out manual annotation: from scratch or (faster) by correcting automatic annotation (generated by rule-based tools, machine learning, or a combination)
- Manager
 - Defining annotation guidelines and schemas
 - Choose relevant automatic services to pre-process
 - Toolset including performance benchmarking, progress monitoring tools, small linguistic customisations
 - Define workflow, manage annotators, liaise with language engineers and sys admins
 - Reconcile differences between annotators, using IAA, AnnDiff
- Admin
 - Setup the Teamware system, users, etc.
- Language engineer
 - Uses GATE Developer to create bespoke services and deploy online



Administer Teamware

- You are given a Teamware installation running on GateCloud.net. It will only work during this course, but you can experiment further by registering on gatecloud.net
- Open the Teamware URL in your web browser.
- Log on with the provided user name and password.
- Select Admin/Manage Users, then press Add
- Create three users (remember to enable the accounts):
 - Two called test-annotator1 and test-annotator2, with only annotator rights (choose simple passwords)
 - One called test-manager, with annotator and manager rights
- Pass the details of your test-annotator1 account to the person on your left and test-annotator2 – to the person on your right

Account Settings	
Enabled	
Assign Roles	
admin	
manager	
annotator	



Teamware for Managers

- Defining workflows
- Running annotation projects
- Tracking progress
- Adjudication and measuring IAA

Teamware Workflows



- Whole process is controlled by a **workflow manager**
- Workflow may be simple:
 - Give the document to n human annotators
- or more complex
 - Pre-process the documents (Gate Developer/Gate Cloud)
 - Pass each document to 3 annotators
 - Adjudicate the differences

Workflow Templates



Automatic Annotation:	Start State>>
Manual Annotation:	start
Post-Manual:	< <task node="">></task>
Review:	Next
Post-Processing:	Save And Add Another
Next Help Quit	No Next
Next help Quit	<pre>do manual?</pre> Yes <pre> Yes </pre> <pre> Set annotation rules </pre>
	No Next Save And Add Another
	do post-manual?
	No Next
	<pre>do post-processing?</pre>
	No Next
	Start Again < < <task node="">> template overview</task>
	Save Template
	end

Defining new workflows



- Select Projects/WF Templates
- Opens the WF wizard
- Automatic annotation:
 - Runs one or more web services to pre-annotate
 - These need to be GATE Annotation Services (GAS), not just any service
 - The default Teamware installation includes ANNIE
- Manual annotation
- Post-manual: post-processing/merging service
- Post-processing: Finalise and export corpus



Defining Manual Annotation WF

- Select only the Manual Annotation box in the WF template
- Configure further the number of annotators per document, whether they can reject documents, whether annotation sets are anonymous (annotator1, annotator2, ...)
- Select or upload annotation schemas





Annotation Schemas

- GATE's annotation schemas can be used to constrain manual annotation for consistency
- You can use the standard ANNIE schemas or develop your own
- Schemas should be consistent with your annotation guidelines

Annotation Schemas



- _____
- Define types of annotations and restrict annotators to use specific feature-values
 - Person
 - Person.gender = male
 - Person.gender = female
- Uses the XML Schema language supported by W3C for these definitions

```
<?xml version="1.0"?>
<schema xmlns="http://www.w3.org/2000/10/XMLSchema">
<element name="Person">
<complexType>
<complexType>
<cattribute name="gender" use="optional">
<simpleType>
<complexType>
<cattribute name="gender" use="optional">
<complexType>
<complexTyp
```



Running a Manual Annotation WF

- The WF template defined in the previous steps can be saved and the project started or revised, as necessary
- To actually run a manual annotation WF, you need to create a project, which defines:
 - Which corpus is going to be annotated
 - Who are the managers and annotators
- The corpus can be uploaded via the link provided and is a ZIP file of documents
 - can be in any format supported by GATE



Running a Manual Annotation WF

Project Name *	Managers	Curators	Annotators
Manual WF project Corpus kalina-test Add Corpus	kalina 🗸	ac4sa59 agaton ishrar-cur-man kalina kalina-curator matthew-cur-man milan	ac4sa59 adam agaton angus ayrin-ann danica diana hamish ian ishrar-ann

Save & Start My Workflow Templates

 Once project is started, annotators can login and ask for tasks

Hands-On



- Login as a manager (using your test-manager account)
- Schemas:
 - In the resources directory you will find 2 annotation schemas: Person and Organization
 - Edit the Person one to include optional gender
- Define your own manual WF with your schemas, specifying 2 annotators per document
- Start a project with your WF template
 - Choose yourself as a manager and add your 2 annotators to the project
 - For corpus: copy and save some text from a news site like the bbc (no more than 3-4 paragraphs), zip the saved document and upload it as your corpus

Teamware:

Manual Annotation Tool



Manual Annotation



- Annotator: log into Teamware
- Click on "Open Annotation Editor"
- Request an annotation task (first button)
 - Annotate the assigned document
 - Save work in progress occasionally
 - Click on the "Finish task" button when done
- If you want to save work and return to this task later "Save" button, then close the UI. Next time you request a task, you get the same document back to finish it.
- Depending on the project setup, you may be able to reject a document and then ask for another one to annotate (Reject button)

Hands-On



- Log out as manager and login as each of the two annotators which you were given, making sure you open the correct Teamware URL in your browser
 - Each manager has their own Teamware, at a different URL, so you need to swap this info as well
- Open the annotation UI by clicking on the link provided
- You should now receive a task from the project defined by the respective manager. You need to annotate 2 documents in total (1 from each project/Teamware)
 - If you have put more than 1 document in your corpus, please log back in as a manager and delete them from the corpus!
- Annotate these documents for Person and Organization names
- Make a note of any issues you had when annotating and let's discuss them
- Note that annotators cannot access the manager functionality

Going Back to Managing Projects in Teamware



• Log back in with your management account, into your Teamware to continue



Monitoring Project Progress

Process Monitoring: Annotation Status

Detailed View

Back to Project

Status	#
Annotated	64
Canceled	1
Failed	0
In Progress	1
Not Started	7

Average Execution Time

627.609375

Detailed View

Back to Project



Hands-On



- Log back in as a manager
- Go to Projects/My Projects
- Select the Process Button



- You will see the manual annotation task
- Click on Monitoring to see the statistics inside
- If both your annotators have completed their tasks, you should also receive a notification email





- Only available to the manager role
- Identify differences between annotators using IAA
- Inspect differences in detail using AnnDiff
- Edit and reconcile differences if required
- More sophisticated adjudication UI (the Annotation Stack View) in GATE Developer



IAA: Recap

- The IAA on IE tasks, such as named entity recognition, should be measured using f-measure across all annotators
- For classification tasks, use Kappa to measure IAA
- For details, see Module 2 slides and the GATE user guide

IAA: Do my annotators agree?



GATE	Teamwa	ire -	FIG					
Home	Resources	⇒	Projects	\rightarrow	Support	⇒		

IAA Caculation on the document ft-airtours-08-aug-2001.xml

Please note you can NOT do caculation if there is no common annotation type on the two selected annotation sets or more. Available Annotation Sets Annotation Sets to Compare



© 2009 GATE | GATE News | GATE Teamware | IRF | JIRA | HELP | Logged in as: ac4sa1-curator Logout

IAA: Results



IAA Caculation on the document ft-airtours-08-aug-2001.xml

Please note you can NOT do caculation if there is no common annotation type on the two selected annotation sets or more. Available Annotation Sets Annotation Sets to Compare



Overall F-Measure

Precision	Recall	F1	Precision Lenient	Recall Lenient	F1 Lenient	Correct	Partially Correct	Missing	Spurious
1.0	0.9411765	0.96875	1.0	0.9411765	0.96875	16.0	0.0	1.0	0.0

F-Measuse values agaist the Key annotator1

Response	SP / SR / SF	LP / LR / LF	C / P / M / S
annotator2	1.0 / 1.0 / 1.0	1.0 / 1.0 / 1.0	17.0 / 0.0 / 0.0 / 0.0
annotator3	1.0 / 0.88235295 / 0.9375	1.0 / 0.88235295 / 0.9375	15.0 / 0.0 / 2.0 / 0.0

University of Sheffield NLP **AnnDiff: Finding the** differences



🖗 Annotation Diff GUI [Connected in DIRECT mode: ft-airtours-08-aug-2001.xml1248214749368610] 👘 🖬 🛛				
Annotation Diff GUI				
Document	Annotation Set			
Key: ft-airtours-08-aug-2001.xml 🔻	annotator1 🔹 Annotation Type: Date	▼ F-Measure Weight		
Response: ft-airtours-08-aug-2001.xml 🔽	annotator3 🔻 Features: 💿 All 💿	Some None 1.00		
Start End Key	Features	=? Start End Response		
123 136 third quarter	{kind=date}	-?		
180 219 first nine months of its financial year	r {kind=date}	-?		
2473 2484 summer 2001	{kind=date, rule1=DateName, rule2=DateOnlyFinal}	} = 2473 2484 summer 2001 {kind=date, rule1=		
2121 2130 this year	{kind=date}	= 2121 2130 this year {kind=date}		
237 255 quarter to June 30	{kind=date}	= 237 255 quarter to June 30 {kind=date}		
1204 1220 end of this year	{kind=date}	= 1204 1220 end of this year (kind=date)		
2797 2824 second quarter of next year	0	= 2797 2824 second quarter of next year {		
2409 2418 last year	{kind=date}	= 2409 2418 last year (kind=date)		
2270 2281 summer 2001	{kind=date, rule1=DateName, rule2=DateOnlyFinal}	} = 2270 2281 summer 2001 {kind=date, rule1=		
337 346 last year	{kind=date}	= 337 346 last year {kind=date}		
2167 2176 next year	{kind=date}	= 2167 2176 next year (kind=date)		
1560 1584 nine months of this year	{kind=date}	= 1560 1584 nine months of this year (kind=date)		
2326 2332 winter	{kind=date, rule1=GazDate, rule2=DateOnlyFinal}	= 2326 2332 winter {kind=date, rule1= -		
•				
Correct: 15 Recall Pre	cision F-Measure Export to HTML			
Partially Correct: 0 Strict: 0.8824 1.0	0.9375			
Missing: 2 Lenient: 0.8824 1.0	0.9375			
False Positives:0Average:0.88241.0	0 0.9375			
Document: ft-airtours-08-aug-2001.xml124	8214749368610			



Where are these in Teamware?

- Only visible to managers
- Resources/Documents menu
- Select the corpus worked on
- Iterate through each document
- Run IAA and AnnDiff, as required
- These are clumsy, as are on a document by document basis

University of Sheffield NLP GATE Developer adjudication facilities



- Download the corpus as a zip file
- Corpus QA Tool
 - A corpus-level view of IAA (F-measure or Kappa)
- Extended AnnDiff to allow easy reconciliation of the differences between 2 annotators
- Annotation Stack View to reconcile difference visually, of 2 or more annotators

Adjudication in AnnDiff



0				4	Annotation	Diff	Тоо							- - X
Key doc	ft-pirelli-	10-aug-2	💌 Ke	ey set:	annotator1	-	ту	pe:	D	ate		▼ We	eight (Compare
Resp. doc	ft-pirelli-	10-aug-2	▼ Re	sp. set:	annotator2	-	Fe	atur	res: 🔾	all 🔾	some 🖲 r	none 1.	0	÷.
Start End	Key		ł	Features			K=	? R	Start	End	F	Respons	ie -	
590 597	July · 28	{kind=date,	rule1=	Darule	e2=DateOnly	yFinal}	=	Ľ	5 90	5 97	July · 28			{kind=date, re
1313 1321	Thursday	{kind=date,	rule1=	Garule	2=DateOnly	Final}	=		1313	1321	Thursday			{kind=date, ri
1262 1266	2002	{kind=date,	rule1=	Yerule	2=DateOnly	/Final}			1254	1275	between	2002.	and • 2004	{kind=date, ru
1271 1275	2004	8					-	?						
4														
	Target set	consensus	n to tai	rget set		2	docu	Sh Ex	nts lo ow do port t	o HTN	ent 1L			
Statistic	5 Adjudi	cation												

Adjudication in AnnDiff



- Select the annotations which are correct by ticking the boxes (see previous screen shot)
- Provide the name of the target consensus set
- Click on the button to copy them into that set
- Once copied, they are removed from the list of annotations to adjudicate, so the curator can focus on the remaining ones
- Adjudication works one annotation type at a time and only for 2 annotators, whose results are stored into 2 different annotation sets



	Annotations List	Annotations Stack	Co-reference Editor	OAT ¹	Fext 🔍			
•. 						••••••	Ŧ	
Dut when the Telev	em Italia parment of F	15 Em was proposed	last weak, its beard raise	toolit Di	alli and its all	. 🛋 🕯	►	Original markups
the Renetton family	om italia payment of E	v 28 by buying 23 per	cent of Olivetti from Rell	an invest	ment group	4	•	annotator1
headed by Mr Cola	ninno and others. The	E31m payouts would I	be in lieu of options and	any other	compensation		V	Date
due to him. Mr Col	aninno was also chief e	executive of Olivetti.						Money
								Organization
Several board men	ibers objected that Te	elecom Italia shares had	d not risen since Mr Colar	ninno took	control and			Percent
that the ligure was	too nign.							Person
Mr Colaninno had :	a salary last year of E3	.5m from Telecom Itali	ia and E819,000 from Ol	ivetti. He	also had cash		-	annotator2
bonuses of E3.6m	from Telecom Italia an	d E700,000 from Olive	etti and other companies	controlle	d by Olivetti.	_	r	Date
		_						Money
In addition, he rece	lived options to buy 17	2.6m Olivetti shares be	etween 2002 and 2004 a	t E2.81 a	i share. Olivett	i		Organization
snares on Thursda by Pirelli and the B	Closed at E1.94 com	pared with their control	- an 80 per cent premiur Iling stake. The shares fe	n to the n Il when in	narket – paid			Parcant
realised they would	1 not benefit from a ta	keover.	inng stake. The shares re	ii wiich iii	VESIONS			Parcon
,								reison
Pirelli is expected (o bring in a new board	d this autumn but sever	ral members are likely to	object a	gain to the			
	tti board might appro	ve its E15 5m navout h	out minority shareholders	in hoth c	omnanies ma			
navment The Oliva								
Previous bound	arv Next boundary]				100		
Previous bound	lary Next boundary							
Previous bound	lary Next boundary 6m Olivetti share	s between 2002 and	2004 at E2.81 a share.	Olivetti	shares on Th	u		
Previous bound	ary Next boundary	es between 2002 and	2004 at E2.81 a share.	Olivetti	shares on Th	u a		
Previous bound Context annotator1#Da	lary Next boundary 6m Olivetti share	es between 2002 and	2004 at E2.81 a share.	Olivetti	shares on Th	u		



- Open the Document Viewer
- Select the "Annotations Stack" button
- Select the annotation types you'd like to reconcile, from as many annotation sets as needed
- The Stack view window is at the bottom
- Context shows the part of the document which we are working on now



- The Previous/Next boundary buttons position the text we're working on (the Context) on the previous/next annotation of the chosen type
- Note that such annotation may only exist in one of the sets, i.e., the other annotator might have missed it!
- Hover the mouse over the coloured annotation rectangles to see further details
- Right click would open the annotation editor
- Double click copies the annotation to the target consensus set (you choose which one it is)



Ir Colaninno had a salary last year of E3.5m from Telecom Italia and E819,000 from Olivetti. He also had cash		✓ Date
oonuses of E3.6m from Telecom Italia and E700,000 from Olivetti and other companies controlled by Olivetti.		Money
n addition, he received options to buy 12.6m Olivetti shares between 2002 and 2004 at E2.81 a share. Olivetti		Organization
hares on Thursday closed at E1.94 compared with the E4.17 - an 80 per cent premium to the market - paid		Percent
by Pirelli and the Benetton family when they bought their controlling stake. The shares following in action		Darcon
ealised they would not benefit from a takeover.	anot	ther set x
n addition, he received options to buy 12 6m Olivetti shares between 2002 and 2004 at F2 81 a share	e Olive	etti III
hares on Thursday closed at E1.94 compared with the E4.17 – an 80 per cent premium to the market	t - paid	d Percent
Previous by Pirelli and the Benetton family when they bought their controlling stake. The shares fell when investor	rs	Person
revious bill ealised they would not benefit from a takeover.		▼ consensus
		- Date
Context Context		
Previous houndary Next houndary Target set: consensus		
annotatori: Trevious boundary Rext boundary Target set consensus		
annotator2;		
Context 6m Olivetti snares between 2002 and 2004 at E2.81 a snare. Olivetti snare	es on T	inu
annotator1#Date	Г	
annotator2#Date		
consensus#Date		

Semi-automatic Projects



- You can pre-process the corpus with pipelines in GATE Developer and then have people improve the annotations manually
- Make sure in GATE Developer that you store all automatically produced annotations in an annotation set called **safe.preprocessing**
- Then in Teamware, when you specify the manual workflow, make sure that you select to run the pre-manual service, which is called **gas:pre-manual gas**
- This service will copy all annotations from the safe.preprocessing set to the annotation set storing the results from the manual annotation, for each of the annotators. This is done at the moment when annotatorX requests this document for annotation, not earlier.



Configuration: "manual annotation"

Next	
Pre-Manual Service:*	gas: pre-manual gas 🛛 🔻
Annotators per Document:	2
Cancel Task Allowed:	
Anonymous Annotation:	
Annotation Schemas:*	Address.xml Money.xml Percent.xml Organization.xml Location.xml Date.xml
Add Schema:	Add Schema

Hands-On



- As a manager, create a new corpus and upload the documents contained in the resources folder, annie-corpus.zip
- This contains documents pre-processed with ANNIE, with the output saved in the safe.preprocessing set. You can inspect this from the corpus viewer
- Create a new workflow template, still selecting only "Manual annotation" in the first step
- Configure the pre-manual gas service
- Run the annotation project as normal
- When you login as test-annotator1, for example, you will now see all automatically created annotations which you will then have to edit to create the gold standard



Task: 4 Document: ft-BT-briefing-02-aug-2001.xml__1304973189093__2157



How can I use Teamware?

• Available from http://gatecloud.net/ for experimentation and use